

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently amended) An organic multicolor emission and display device comprising:

a first substrate;

an organic light emitting element including at least a first electrode, an organic light emitting layer, and a transparent second electrode laminated on the first substrate;

a transparent second substrate;

a color conversion filter layer formed on the transparent second substrate, the color conversion filter layer receiving electroluminescence from the organic light emitting layer and generating colored light; and

a gap material that positions the first substrate and the transparent second substrate opposite to each other in such a way that the organic light emitting element is opposite to the color conversion filter layer with a predetermined clearance, and that seals a space between the first substrate and the transparent second substrate;

wherein the gap material is placed along an outer peripheral region on an inner surface of the first substrate, the organic light emitting element being provided on the inner surface of the first substrate and the organic light emitting element being absent on the outer peripheral region of the first substrate; and the gap material is placed also along an outer peripheral region on an inner surface of the transparent second substrate, the color conversion filter layer being provided on the inner surface of the transparent second substrate, and the color conversion filter layer being absent on the outer peripheral region of the transparent second substrate; and the gap material performs function to desiccate atmosphere of a sealed space between the first substrate and the transparent second substrate, and

wherein the gap material placed along the outer peripheral region on the inner surfaces of the first substrate and the transparent second substrate have different porosities between an inner portion of the gap material facing the sealed space and an outer portion of the gap material facing external atmosphere.

2. Canceled.

3. (Currently amended) The organic multicolor emission and display device according to claim [[2]] 1, wherein the gap material has a ~~void-fraction~~ porosity of at most 1 % in the outer portion of the gap material and a ~~void-fraction~~ porosity of from 50 % to 90 % in the inner portion of the gap material.

4. (Currently amended) The organic multicolor emission and display device according to claim 3, wherein the inner portion of the gap material, in which a ~~void-fraction~~ porosity is from 50 % to 90 %, occupies from 10 % to 90 % of total width of the gap material extending from innermost end to outermost end of the gap material.

5. (Currently amended) The organic multicolor emission and display device according to claim [[2]] 1, wherein the inner portion of the gap material holds an oxide of an alkali metal or an oxide of an alkaline earth metal in voids within the gap material.

6. (Currently amended) The organic multicolor emission and display device according to claim 1, wherein the gap material is composed of an inorganic compound represented by metal oxides ~~such as alumina and zirconia~~ and metal nitrides ~~such as silicon nitride and boron nitride~~.

7. (Currently amended) The organic multicolor emission and display device according to claim 1, wherein a thickness dimension between the first substrate and the transparent second substrate of the gap material is in a range of 1 μm to 100 μm .

8. (Currently amended) An organic multicolor emission and display device comprising:

a first substrate;

a transparent second substrate;

a color conversion filter layer formed on the transparent second substrate;

an organic light emitting element including at least a first electrode, an organic light emitting layer, and a transparent second electrode, the light emitting element being formed on the color conversion filter layer with the transparent second electrode facing the color conversion filter layer;

a gap material that positions the first substrate and the transparent second substrate opposite to each other in such a way that the organic light emitting element above the transparent second substrate is opposite to the first substrate with a predetermined clearance, and that seals a space between the first substrate and the transparent second substrate;

wherein[[,] the gap material is placed along an outer peripheral region on an inner surface of the transparent second substrate, functional layers including the color conversion filter layer and the organic light emitting element being provided on the inner surface of the transparent second substrate and the functional layers being absent on the outer peripheral region of the transparent second substrate; and the gap material is placed also along an a peripheral region on an inner surface of the first substrate, the peripheral region of the first substrate being opposite to the peripheral region of the inner surface of the transparent second substrate; and the gap material performs function to desiccate atmosphere of a sealed space between the first substrate and the transparent second substrate, and

wherein the gap material placed along the outer peripheral region on the inner surfaces of the first substrate and the transparent second substrate have different porosities between an inner portion of the gap material facing the sealed space and an outer portion of the gap material facing external atmosphere.

9. Canceled.

10. (Currently amended) The organic multicolor emission and display device according to claim [[9]] 8, wherein the gap material has a ~~void fraction~~ porosity of not greater than 1 % in the outer portion of the gap material and a ~~void fraction~~ porosity from 50 % to 90 % in the inner portion of the gap material.

11. (Currently amended) The organic multicolor emission and display device according to claim 10, wherein the inner portion of the gap material, in which a ~~void fraction~~ porosity is from 50 % to 90 %, occupies from 10 % to 90 % of total width of the gap material extending from innermost end to outermost end of the gap material.

12. (Currently amended) The organic multicolor emission and display device according to claim [[9]] 8, wherein the inner portion of the gap material holds an oxide of an alkali metal or an oxide of an alkaline earth metal in voids within the gap material.

13. (Currently amended) The organic multicolor emission and display device according to claim 8, wherein the gap material is composed of an inorganic compound represented by metal oxides ~~such as alumina and zirconia~~ and metal nitrides ~~such as silicon nitride and boron nitride~~.

14. (Currently amended) The organic multicolor emission and display device according to claim 8, wherein sealing height dimension between the first substrate and the transparent second substrate of the gap material is in a range of 1 μm to 100 μm .

15. (Previously presented) The organic multicolor emission and display device according to claim 8 further comprising a desiccant attached on the inner surface of the first substrate.

16 – 30. Canceled.

31. (Currently amended) The organic multicolor emission and display device according to claim [[9]] ~~8~~ further comprising a desiccant attached on the inner surface of the first substrate.

32. (Previously presented) The organic multicolor emission and display device according to claim 10 further comprising a desiccant attached on the inner surface of the first substrate.

33. (Previously presented) The organic multicolor emission and display device according to claim 11 further comprising a desiccant attached on the inner surface of the first substrate.

34. (Previously presented) The organic multicolor emission and display device according to claim 12 further comprising a desiccant attached on the inner surface of the first substrate.

35. (Previously presented) The organic multicolor emission and display device according to claim 13 further comprising a desiccant attached on the inner surface of the first substrate.

36. (Previously presented) The organic multicolor emission and display device according to claim 14 further comprising a desiccant attached on the inner surface of the first substrate.

37. (New) The organic multicolor emission and display device according to claim 6, wherein the inorganic compound is one of alumina, zirconia, silicon nitride and boron nitride.

38. (New) The organic multicolor emission and display device according to claim 13, wherein the inorganic compound is one of alumina, zirconia, silicon nitride and boron nitride.